



asahi 43feet




Oil Pattern Distance	43	Reverse Brush Drop	29	Oil Per Board	50 ul
Forward Oil Total	12.45 mL	Reverse Oil Total	9.55 mL	Volume Oil Total	22 mL
Tank Configuration	A Only	Tank A Conditioner	KEGEL	Tank B Conditioner	KGEGL

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	10	A	37	0.0	0.0	0.0	1850
2	4L	4R	1	18	A	33	0.0	2.5	2.5	1650
3	8L	8R	2	18	A	50	2.5	7.6	5.1	2500
4	9L	9R	1	18	A	23	7.6	10.1	2.5	1150
5	10L	10R	2	18	A	42	10.1	15.2	5.1	2100
6	12L	12R	2	22	A	34	15.2	21.4	6.2	1700
7	13L	13R	2	22	A	30	21.4	27.6	6.2	1500
8	2L	2R	0	30	A	0	27.6	43.0	15.4	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	A	0	43.0	29.0	-14.0	0
2	14L	14R	2	18	A	26	29.0	23.9	-5.1	1300
3	12L	12R	2	18	A	34	23.9	18.8	-5.1	1700
4	10L	10R	2	18	A	42	18.8	13.7	-5.1	2100
5	7L	7R	2	18	A	54	13.7	8.6	-5.1	2700
6	3L	3R	1	10	A	35	8.6	7.2	-1.4	1750
7	2L	2R	0	10	A	0	7.2	0.0	-7.2	0

Cleaner Ratio Main Mix NA Forward
Cleaner Ratio Back End Mix NA Reverse
Cleaner Ratio Back End Distance NA Combined
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	6.25	1.82	1.02	1.02	1.82	6.25

