


Oil Pattern Distance	43	Reverse Brush Drop	38	Oil Per Board	45 ul
Forward Oil Total	10.395 mL	Reverse Oil Total	9.585 mL	Volume Oil Total	19.98 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	KGEGL

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	5L	5R	2	50	14	A	62	0.0	1.9	1.9	2790
2	6L	6R	2	50	18	A	58	1.9	7.0	5.1	2610
3	7L	7R	2	50	22	A	54	7.0	13.2	6.2	2430
4	10L	10R	2	50	26	A	42	13.2	20.5	7.3	1890
5	13L	13R	1	50	30	A	15	20.5	24.7	4.2	675
6	2L	2R	0	50	30	A	0	24.7	43.0	18.3	0

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	40	30	A	0	43.0	38.0	-5.0	0
2	12L	12R	2	40	30	A	34	38.0	29.5	-8.5	1530
3	11L	11R	2	40	30	A	38	29.5	21.0	-8.5	1710
4	8L	8R	1	40	26	A	25	21.0	17.4	-3.6	1125
5	7L	7R	2	40	22	A	54	17.4	11.2	-6.2	2430
6	5L	5R	2	40	18	A	62	11.2	6.1	-5.1	2790
7	2L	2R	0	40	10	A	0	6.1	0.0	-6.1	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	4.5	1.34	1	1	1.34	4.5

