


Oil Pattern Distance	40	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	12.5 mL	Reverse Oil Total	8.6 mL	Volume Oil Total	21.1 mL
Tank Configuration	A Only	Tank A Conditioner	PRODIGY	Tank B Conditioner	OIL

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	5L	5R	3	50	10	A	93	0.0	2.8	2.8	4650
2	7L	7R	3	50	14	A	81	2.8	8.7	5.9	4050
3	10L	10R	2	50	22	A	42	8.7	14.9	6.2	2100
4	12L	12R	1	50	26	A	17	14.9	18.5	3.6	850
5	12L	12R	1	50	30	A	17	18.5	22.7	4.2	850
6	2L	2R	0	50	30	A	0	22.7	40.0	17.3	0

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	30	A	0	40.0	38.0	-2.0	0
2	12L	12R	2	50	30	A	34	38.0	29.5	-8.5	1700
3	10L	10R	2	50	30	A	42	29.5	21.0	-8.5	2100
4	9L	9R	2	50	30	A	46	21.0	12.5	-8.5	2300
5	8L	8R	1	50	22	A	25	12.5	9.4	-3.1	1250
6	8L	8R	1	50	18	A	25	9.4	6.9	-2.5	1250
7	2L	2R	0	50	14	A	0	6.9	3.0	-3.9	0
8	2L	2R	0	50	10	A	0	3.0	0.0	-3.0	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	7.5	1.41	1	1	1.41	7.5

